

United States Patent and Trademark Office

()

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/804,001	03/19/2004	Yu Wen-Lung	OP-092000194 6980		
7590 02/04/2005			EXAMINER		
Yi-Wen Tseng 4331 Stevens Battle Lane Fairfax, VA 22033			PATEL, DHIRUBHAI R		
			ART UNIT	PAPER NUMBER	
,			2831	2831	

DATE MAILED: 02/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

de	١
٧٢	

	Application No.	Applicant(s)					
	10/804,001	WEN-LUNG, YU					
Office Action Summary	Examin r	Art Unit					
	DHIRU R. PATEL	2831					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 3/19	1) Responsive to communication(s) filed on 3/191 2004						
2a) ☐ This action is FINAL . 2b) ☑ This	This action is FINAL . 2b) This action is non-final.						
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4)⊠ Claim(s) <u>1-9</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-9</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner	·. ~						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). 							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa						
Paper No(s)/Mail Date 6) Other:							

Application/Control Number: 10/804,001

Art Unit: 2831

DETAILED ACTION

attempted to appoint an attorney Yi-Wen Tseng who is not registered to practice before the U.S. Patent and Trademark Office, contrary to the Code of Federal Regulations, 37 CFR 1.31. Therefore, the appointment is void, *ab initio*. We will not recognize the appointment and all correspondence concerning this application must be signed by: 1) all named applicants (inventors), 2) all the owners of the rights to the invention, or 3) a registered attorney or agent duly appointed by the inventor(s) or the owner(s). Furthermore, all communications from the Office will be addressed to the first named inventor, unless specific instructions to the contrary are supplied by the named inventor(s) or owner(s).

While an applicant may prosecute the application, lack of skill in this field usually acts as a liability in affording the maximum protection for the invention disclosed. Applicant is, therefore, encouraged to secure the services of a registered patent attorney or agent (i.e., registered to practice before the U.S. Patent and Trademark Office) to prosecute the application, since the value of a patent is largely dependent upon skillful preparation and prosecution.

The Office cannot aid you in selecting a registered attorney or agent, however, a list of attorneys and agents registered to practice before the U.S. Patent and Trademark Office is available from the USPTO web site, http://www.uspto.gov. For assistance locating this information contact the Office

Art Unit: 2831

of Enrollment and Discipline at (703) 306-4097 or, call the Inventors Assistance Center toll free number, 1(800)786-9199.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, a positioning device and two connection boards recited in claims 1 and 5 respectively must be shown or the feature(s) canceled from the claim(s). No new matter should be entered. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the

Art Unit: 2831

drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

3. Claim 9 is objected to because of the following informalities: In claim 9 line 1, "includes a shed" is confusing and unclear in light of the specification. The examiner interpreted as – is in the form of a shed--.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112: The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 1-9 are rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1 line 8, " a positioning device" is confusing and unclear in light of the specification. The examiner interpreted as a plurality of protruding spots instead for improved clarity.

In claim 5 line 3, "two connection boards" are confusing and unclear in light of the specification. The examiner interpreted as -- two connection plates-- Instead for improved clarity.

Application/Control Number: 10/804,001 Page 5

Art Unit: 2831

Allowable Subject Matter

5. Claim 1 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

6. Claims 2-9 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

The primary reasons for the indication of the allowability of claims 1-9 are the inclusion therein, in combination as currently claimed, of the limitation of a lift type positioning structure comprising: a horizontal platform extending perpendicularly from a lower edge of the rectangular slot, and a plurality of protruding spots (as interpreted in 112 second paragraph), operative to secure the lid at an open position.

The previously listed limitation is neither disclosed nor taught by the prior art of record, alone or in combination.

Other prior art cited

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Nicolai, Liao, Bartlett, Dials, Sucharczuk, Wrycraft, and Dimarco disclose a housing similar to applicant's claimed invention.

Art Unit: 2831

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DHIRU R. PATEL whose telephone number is 571-272-1983. The examiner can normally be reached on M-TH, 6:30 TO 4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on 571-272-1982. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dhiran Patel 2/25
Primary Examiner

Art Unit 2831